

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1662/162/04/22/0840

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

Dingzhang Industrial Park, Yuqiuhu Sub-district office, Gaotang

City, Shandong Province, 252800

CHINA

Description

PPE Type: protective glove against mechanical risks, chemical risks,

against microorganisms risks

Product reference: GSP0211R-CAT 3

Glove description: PVC COATED GLOVES, SMOOTH FINISH, INTERLOCK LINER,

27/30/35/40/45CM

Available sizes: 7/S 8/M 9/L 10/XL 11/XXL

Pictures:











Dingzhang Industrial Park, Gaotang City Shandong Province, China 252800

Reference standard:

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

EN 388:2016 + A1:2018

4121X

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016 / A1:2018

Type B

JKL

This product is a category III (letal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC 0075)

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from April 2022 and the Instruction for Use 04/2022.

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification Manager

End of validity d

Date of first issue: 26 April 2022 End of validity date: 26 April 2027



Equipment and repealing the Directive 89/686/EEC.

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective

www.ctcgroupe.com

cemarking@ctcgroupe.com

COFTEX ACCREDITATION OF PRODUITS

GENERATION ACCREDITATION OF 5-0594

Scope available on:

5-0594

Scope available on:

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : GSP0211R-CAT 3

Article code : /

Technical file index : 01

Last update : April 2022

IDENTIFICATION

Reference of the product: : GSP0211R-CAT 3

Article code : :

Basic Model

Technical file index: : 01

Last update : : April 2022

Manufacturer:

SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

Dingzhang Industrial Park, Yuqiuhu Sub-district office, Gaotang City, Shandong Province, 252800

CHINA

tel: 86-635-2139189 fax: 86-635-2138558

Factory:

SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

Dingzhang Industrial Park, Yuqiuhu Sub-district office, Gaotang City, Shandong Province, 252800

CHINA

tel: 86-635-2139189 fax: 86-635-2138558

GLOVE DESCRIPTION

General glove description and intended use:

PVC COATED GLOVES, SMOOTH FINISH, INTERLOCK LINER, 27/30/35/40/45CM

This glove is designed against mechanical risks, chemical risks, against microorganisms risks.

Type of coating finish: smooth

Visual description (picture back and palm sides):



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	7	Standard Instruction for use Marking
§1.4	Manufacturer's instructions and information is available	7	Standard Instruction for use Marking
§2.5	PPE which may be caught up during use	7	Standard Instruction for use Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard ✓ Instruction for use ✓ Marking
§2.14	Multi-risk PPE	7	✓ Standard ✓ Instruction for use ✓ Marking
§3.3	The PPE is intended to protect against mechanical injuries	7	✓ Standard✓ Instruction for use✓ Marking
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	7	✓ Standard ✓ Instruction for use ✓ Marking

Glove constitution:

	Reference	Color	Material	Surfacic mass (g/m²)	Gauges	Thickness
Palm		RED	PVC			1.2-1.8MM
		WHITE	COTTON	350g/m²	24G	
Back		RED	PVC			1.2-1.8MM
		WHITE	COTTON	350g/m²	24G	
Cuff		RED	PVC			1.2-1.8MM
		WHITE	COTTON	350g/m²	24G	
PROTECTION SCOPE						

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, chemical risks, against microorganisms risks.

It is a category III product, module C2

Notified Body Reference: CTC (0075)

4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity: 5

Available size

7/S-11/XXL

range:

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Hand size	Hand circumference (mm)	Hand length (mm)
7/S	210	171
8/M	220	182
9/L	230	192
10/XL	250	204
11/XXL	290	215

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

- « X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
- « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

Chemical hazard EN 374-2: 2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1: 2016 / A1: 2018

Type :	Type B

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
n-Heptane	142-82-5	J	4	15,9%
Sodium hydroxide 40%	1310-73-2	K	6	5,8%
Sulphuric acid 96%	7664-93-9	L	5	-2,1%

Microorganism EN ISO 374-5: 2016

This glove protect against microorganism.

Uncontrolled against viruses.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S211111456_1 S220201207_1	
EN 388	S211111456_1	
EN 374-2	S211111456_1	
EN 16523-1	S211111456_1	
EN ISO 374-5	S211111456_1	
Other	S211111456_1(EN374-4)	

MARKING - PACKAGING

Information printed on the glove:

Logo of Manufacturer:

Logo (€

Glove's reference: GSP0211R-CAT 3

Article Code: /

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or serial/batch number:

Date of obsolescence (month/year) if applicable:

Marking example :



Dingzhang Industrial Park, Gaotang City Shandong Province, China 252800

Method of marking on the glove :

printed on the back of the glove

Packaging suitable for transport:

12 pairs per polybag; 72 pairs per carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Cleaning instructions:

These gloves are not washable. In case of contact with chemical substances, for the decontamination, the gloves should be rinsed with neutral solvent. The temperature should be controlled under 50°C. Then they have to dry completely.

MEANS OF CONTROL

All of our workers are QC, we checked the quality in every process.

- 1.Sew the liner, our warehouse check the cotton quality when the supplier delivery the material and the workers charged for cutting the cotton and sewing the liner also will check the quality.
- 2.Dipping.the workers in the production lines will check the every dipped liner, and the workers for package also will check every gloves when they packed.
- 3.Our QC will check the goods every Wendsday. And our QC will pick up some samples and do Abrasion, Cut tests and so on under EN388 and EN ISO 21420, air leak/water leak according to EN374-2 within once four years.